

Zehnder Ribbon

Hydronic operation


Product data sheet



Like a steel band that wraps around the bathroom radiator, Zehnder Ribbon impresses with its modern design and practicality. Its oblique rungs are inspired by architectural structures with multiple levels. Large spaces provide the whole family with plenty of room to hang several towels. This linking of form and function transforms Zehnder Ribbon into a radiator that invites comfort and class into the bathroom. Available in any colour and finish from the Zehnder colour chart.

- Modern design with diagonal flat tubes
- Perfect for drying several towels – ideal for families
- Ample spaces between tubes make cleaning easy
- Flexible installation due to 50 mm centre connections
- Flexible installation through right and left connections

Model overview



Chrome-plated version

Model	H mm	L mm	N mm	Heat output			
				75/65/20 °C	70/55/24 °C	55/45/24 °C	55/45/20 °C
				Watts	Watts	Watts	Watts
RBC-100-050	965	500	456	261	187	114	137
RBC-130-050	1266	500	456	327	235	142	171
RBC-160-050	1567	500	456	393	282	171	205
RBC-180-050	1823	500	456	461	330	199	240
RBC-100-060	1017	600	556	304	218	132	158
RBC-130-060	1340	600	556	386	277	168	201
RBC-170-060	1661	600	556	468	336	204	245
RBC-190-060	1930	600	556	544	390	236	283

H = height, L = length

75/65/20 = Nominal heat output according to EN 442

Painted version

Model	H mm	L mm	N mm	Heat output				Power electric heating element Watts
				75/65/20 °C	70/55/24 °C	55/45/24 °C	55/45/20 °C	
				Watts	Watts	Watts	Watts	
RB-100-050	965	500	456	398	288	177	211	300
RB-130-050	1266	500	456	509	368	227	271	300
RB-160-050	1567	500	456	621	450	277	330	600
RB-180-050	1823	500	456	723	522	320	383	600
RB-100-060	1017	600	556	473	341	209	250	300
RB-130-060	1340	600	556	608	439	270	322	600
RB-170-060	1661	600	556	743	538	331	395	600
RB-190-060	1930	600	556	847	611	375	448	600

H = height, L = length

75/65/20 = Nominal heat output according to EN 442

Product types and connection options

