

# Zehnder Klaro

## Hydronic operation


Product data sheet



Zehnder Klaro makes a strong impression through its look and functionality. And the reason is its sophisticated tube design and variable wall clearance. The radiator is ideal for heating towels. Available in almost any colour and finish from the Zehnder colour chart.

- Brushed stainless steel version ensures resistance to corrosion
- Flexible installation through bracket's variable wall clearance

## Model overview



## Chrome-plated version

Model	H mm	L mm	Heat output			
			75/65/20 °C	70/55/24 °C	55/45/24 °C	55/45/20 °C
			Watts	Watts	Watts	Watts
ZSLC-080-050	746	500	283	201	121	146
ZSLC-080-060	746	600	332	237	143	172
ZSLC-120-050	1146	500	417	296	177	214
ZSLC-120-060	1146	600	489	347	208	250
ZSLC-150-050	1466	500	475	336	199	241
ZSLC-150-060	1466	600	560	398	238	287
ZSLC-170-050	1706	500	601	428	257	309
ZSLC-170-060	1706	600	705	501	299	361

H = height, L = length

75/65/20 = Nominal heat output according to EN 442

**Painted version**

Model	H mm	L mm	Heat output			
			75/65/20 °C	70/55/24 °C	55/45/24 °C	55/45/20 °C
			Watts	Watts	Watts	Watts
ZSL-080-045	746	450	354	255	156	187
ZSL-080-050	746	500	388	280	171	205
ZSL-080-060	746	600	455	327	200	239
ZSL-120-045	1146	450	521	374	227	272
ZSL-120-050	1146	500	571	411	250	300
ZSL-120-060	1146	600	670	482	294	352
ZSL-150-045	1466	450	653	467	283	340
ZSL-150-050	1466	500	716	512	310	372
ZSL-150-060	1466	600	839	600	363	436
ZSL-170-045	1706	450	751	533	319	385
ZSL-170-050	1706	500	824	587	352	424
ZSL-170-060	1706	600	966	691	418	502

H = height, L = length

75/65/20 = Nominal heat output according to EN 442